Index of Authors

Abraham, B. *see* Lakshmi, B.S.
Acquaviva, M. *see* Cuny, P.
Albano, A. *see* Brandi, G.
Allison, D.R.K. *see* Restaino, L.
Al-Wajeeh, K. *see* Wainwright, M.
Antunes, L.C.M. *see* Avelar, K.E.S.
Arias, C.R. *see* Moreno, Y.
Arvanitidou, M., Kanellou, K., Constantinides, T.C. & Katsouyannopoulos, V. The occurrence of fungi in hospital and community potable waters, 81
Arzedi, E. *see* Cosentino, S.
Atrache, V. *see* Meyrand, A.
Autio, T. *see* Fredriksson-Ahomaa, M.
Avelar, K.E.S., Pinto, L.J.F., Antunes, L.C.M., Lobo, L.A., Bastos, M.C.F., Domingues, R.M.C.P. & De Souza Ferreira, M.C. Production of bacteriocin by *Bacteroides fragilis* and partial characterization, 264
Ayra-Pardo, C., Montejo-Sierra, I.L., Vázquez-Padrón, R.I. & García-Martínez, C. β-D-glucuronidase gene from *Escherichia coli* is a functional reporter in the methylotrophic yeast *Pichia pastoris*, 278
Aznar, R. *see* Moreno, Y.

Baker, J.L. *see* Hua, S.-S.T
Barefoot, S.F. *see* Ekinci, F.Y.
Basílico, J.C. *see* Basílico, M.Z.
Basílico, M.Z. & Basílico, J.C. Inhibitory effects of some spice essential oils on *Aspergillus ochraceus* NRRL 3174 growth and ochratoxin A production, 238
Bastos, M.C.F. *see* Avelar, K.E.S.
Bavai, C. *see* Meyrand, A.
Bellon-Fontaine, M.-N. *see* Girardin, H.
Benintende, G.B., López-Meza, J.E., Cozzi, J.G. & Ibarra, J.E. Novel non-toxic isolates of *Bacillus thuringiensis*, 151
Bergamaschi, A. *see* Stampi, S.
Berghof, K. *see* Scheu, P.
Bertrand, J.-C. *see* Cuny, P.
Beuchat, L.R., Chmielewski, R., Keswani, J., Law, S.E. & Frank, J.F. Inactivation of aflatoxigenic Aspergilli by treatment with ozone, 202
Beveridge, C.M. *see* Kerr, A.
Blackall, L.L. *see* Klieve, A.V.
Blackall, L.L. *see* Warren, A.L.
Blivet, D. *see* Denis, M.
Bloomfield, S.F. *see* Cogan, T.A.
Bolton, L.F. & Frank, J.F. Simple method to observe the adaptive response of *Listeria monocytogenes* in food, 350
Brandi, G., Sisti, M., Giardini, F., Schiavano, G.F. & Albano, A. Survival ability of cytotoxic strains of motile *Aeromonas* spp. in different types of water, 211
Bron, S. *see* Stephenson, K.
Brown, S.E. & Goulder, R. Change in riverine epilithic extracellular enzyme activity in response to fish farm effluent, 385
Browne, M.J. *see* Cupit, P.M.

Canale, G. *see* Pinto, B.
Canham, L.T. *see* Wainwright, M.
Capellas, M. *see* Yuste, J.
Cardoso, H.F.T., Silva, N., Sena, M.J. & Carmo, L.S. Production of enterotoxins and toxic shock syndrome toxin by *Staphylococcus aureus* isolated from bovine mastitis in Brazil, 347
Cardová, L. *see* Rychlík, I.
Carmo, L.S. *see* Cardoso, H.F.T.
Chart, H. Evaluation of a latex agglutination kit for the detection of human antibodies to the lipopolysaccharide of *Escherichia coli* O157, following infection with verocytotoxin-producing *E. coli* O157, 434
Chen, J. & Griffiths, M.W. Cloning and sequencing of the gene encoding universal stress protein from *Escherichia coli* O157:H7 isolated from Jack-in-a-Box outbreak, 103
Cheng, K.-J. *see* Yanke, L.J.
Chisholm, S.A. *see* Old, D.C.
Chmielewski, R. *see* Beuchat, L.R.
Choi, H.-J. *see* Her, S.
Choi, S.-J. *see* Her, S.
Choi, S.-W. *see* Her, S.
Civilini, M., De Bertoldi, M. & Tell, G. Molecular characterization of *Pseudomonas aeruginosa* 2NR degrading naphthalene, 181
Cogan, T.A., Bloomfield, S.F. & Humphrey, T.J. The effectiveness of hygiene procedures for prevention of cross-contamination from chicken carcasses in the domestic kitchen, 354
Cogan, T.M. *see* Jordan, K.N.
Colin, P. *see* Denis, M.
Colin, P. *see* Rivoal, K.
Colin, P. *see* Soumet, C.
Constantinides, T.C. *see* Arvanitidou, M.
Cosentino, S., Tuberoso, C.G., Pisano, B., Satta, M., Mascia, V., Arzedi, E. & Palmas, F. *In-vitro* antimicrobial activity and chemical composition of Sardinian *Thymus* essential oils, 130
Costley, S.C. & Wallis, F.M. Effect of disk rotational speed on heavy metal accumulation by rotating biological contactor (RBC) biofilms, 401
Cowling, M.J. *see* Kerr, A.
Cozzi, J.G. *see* Benintende, G.B.
Crichton, P.B. *see* Old, D.C.

Cunningham, C. *see* Cupit, P.M.
Cuny, P., Faucet, J., Acquaviva, M., Bertrand, J.-C. & Gilewicz, M. Enhanced biodegradation of phenanthrene by a marine bacterium in presence of a synthetic surfactant, 242
Cupit, P.M., Whyte, J.A., Porter, A.J., Browne, M.J., Holmes, S.D., Harris, W.J. & Cunningham, C. Cloning and expression of single chain antibody fragments in *Escherichia coli* and *Pichia pastoris*, 273

Da Silva, S.S. *see* Rodrigues, D.C.G.A.
Davies, R. & Roberts, T.A. Antimicrobial susceptibility of enterococci recovered from commercial swine carcasses: effect of feed additives, 327
De Bertoldi, M. *see* Civilini, M.
De Luca, G. *see* Stampi, S.
De Souza Ferreira, M.C. *see* Avelar, K.E.S.
Delfosse, P. *see* Devi, K.T.
Delitheos, A. *see* Tiligada, E.
Denis, M. *see* Rivoal, K.
Denis, M., Soumet, C., Rivoal, K., Ermel, G., Blivet, D., Salvat, G. & Colin, P. Development of a m-PCR assay for simultaneous identification of *Campylobacter jejuni* and *C. coli*, 406
Desai, A.J. *see* Yellore, V.S.
Desmarchelier, P. *see* Midgley, J.
Devi, K.T., Mayo, M.A., Reddy, K.L.N., Delfosse, P., Reddy, G., Reddy, S.V. & Reddy, D.V.R. Production and characterization of monoclonal antibodies for aflatoxin B1, 284
Dohme, F., Machmüller, A., Estermann, B.L., Pfister, P., Wasserfallen, A. & Kreuzer, M. The role of the rumen ciliate protozoa for methane suppression caused by coconut oil, 187
Domingues, R.M.C.P. *see* Avelar, K.E.S.
Drouin, P. *see* Soumet, C.
Dusková, D. *see* Marounek, M.

Ekinci, F.Y. & Barefoot, S.F. Production of bacteriocin jensiniin G by *Propionibacterium* is pH sensitive, 176
Embery, G. *see* Stubbs, S.
England, R.R. *see* Greenway, D.L.A.
Epifanio, S. *see* Gutiérrez, A.R.
Ermel, G. *see* Denis, M.
Ermel, G. *see* Rivoal, K.
Ermel, G. *see* Soumet, C.
Estermann, B.L. *see* Dohme, F.

Faucet, J. *see* Cuny, P.
Fegan, N. *see* Midgley, J.
Felipe, M.G.A. *see* Rodrigues, D.C.G.A.
Frampton, E.W. *see* Restaino, L.
Frank, J.F. *see* Beuchat, L.R.
Frank, J.F. *see* Bolton, L.F.
Fredriksson-Ahomaa, M., Autio, T. & Korkeala, H. Efficient subtyping of *Yersinia enterocolitica* bioserotype 4/O:3 with pulsed-field gel electrophoresis, 308
Freitas, F.I.S., Guedes-Stehling, E. & Siqueira-Junior, J.P. Resistance to gentamicin and related aminoglycosides in *Staphylococcus aureus* isolated in Brazil, 197
Fricker, C.R. *see* Prescott, A.M.
Fung, D.Y.C. *see* Kang, D.H.

Garay, E. *see* Moreno, Y.
García-Martínez, C. *see* Ayra-Pardo, C.
Garijo, P. *see* Gutiérrez, A.R.
Gasch, A. *see* Scheu, P.
Gessesse, A. *see* Mamo, G.
Ghildyal, N.P. *see* Nandakumar, M.P.
Giannoutsou, E.P. *see* Katsifas, E.A.
Giardini, F. *see* Brandi, G.
Gibbs, R.A. *see* Sidhu, J.
Gilewicz, M. *see* Cuny, P.
Girardin, H., Paris, S., Rault, J., Bellon-Fontaine, M.-N. & Latgé, J.-P. The role of the rodlet structure on the physicochemical properties of *Aspergillus* conidia, 364
González, I., Niebla, A., Lemus, M., González, L., Otero, I., Iznaga, Y., Pérez, M.E. & Vallin, C. Ecological approach of macrolide-lincosamides-streptogramin producing Actinomyces from Cuban soils, 147
González, L. *see* González, I.
Goodson, M. *see* Rowbury, R.J.
Goulder, R. *see* Brown, S.E.
Greenway, D.L.A. & England, R.R. ppGpp accumulation in *Pseudomonas aeruginosa* and *Pseudomonas fluorescens* subjected to nutrient limitation and biocide exposure, 298
Greenway, D.L.A. & England, R.R. The intrinsic resistance of *Escherichia coli* to various antimicrobial agents requires ppGpp and σ^s, 323
Griffiths, M.W. *see* Chen, J.
Grosjean, O.-K. *see* Hua, S.-S.T
Guedes-Stehling, E. *see* Freitas, F.I.S.
Gutiérrez, A.R., Santamaría, P., Epifanio, S., Garijo, P. & López, R. Ecology of spontaneous fermentation in one winery during 5 consecutive years, 411

Hamilton, W.A. *see* Leu, J.-Y.
Harris, W.J. *see* Cupit, P.M.
Harwood, C.R. *see* Stephenson, K.
Heck, G.L. *see* Klieve, A.V.

Henderson, C. *see* Howard, F.A.C.
Her, S., Lee, H.-S., Choi, S.-J., Choi, S.-W., Choi, H.-J., Yoon, S.-S. & Oh, D.-H. Cloning and sequencing of β-1,4-endoglucanase gene (*celA*) from *Pseudomonas* sp. YD-15, 389
Ho, G.E. *see* Sidhu, J.
Hobot, J.A. *see* Stubbs, S.
Hodgkiess, T. *see* Kerr, A.
Holmes, S.D. *see* Cupit, P.M.
Howard, F.A.C. & Henderson, C. Hydrogenation of polyunsaturated fatty acids by human colonic bacteria, 193
Hua, S.-S.T, Grosjean, O.-K. & Baker, J.L. Inhibition of aflatoxin biosynthesis by phenolic compounds, 289
Humphrey, T.J. *see* Cogan, T.A.

Ibarra, J.E. *see* Benintende, G.B.
Iznaga, Y. *see* González, I.

Ji, L.-N. *see* Liu, J.-Z.
Jofre, J. *see* Muniesa, M.
Jordan, K.N. & Cogan, T.M. Heat resistance of *Lactobacillus* spp. isolated from Cheddar cheese, 136

Kaneko, A., Matsuda, M., Miyajima, M., Moore, J.E. & Murphy, P.G. Urease-positive thermophilic strains of *Campylobacter* isolated from seagulls (*Larus* spp.), 7
Kanellou, K. *see* Arvanitidou, M.
Kang, D.H. & Fung, D.Y.C. Reduction of *Escherichia coli* O157:H7 by stimulated *Pediococcus acidilactici*, 206
Kangueane, P. *see* Lakshmi, B.S.
Karagouni, A.D. *see* Katsifas, E.A.
Katsifas, E.A., Giannoutsou, E.P. & Karagouni, A.D. Diversity of streptomycetes among specific Greek terrestrial ecosystems, 48
Katsouyannopoulos, V. *see* Arvanitidou, M.
Kelly, W.R. *see* Warren, A.L.
Kerr, A., Hodgkiess, T., Cowling, M.J., Smith, M.J. & Beveridge, C.M. Effect of galvanically induced surface potentials on marine fouling, 56
Keswani, J. *see* Beuchat, L.R.
Khuller, G.K. *see* Verma, I.
Kim, E.-J. & Yoo, S.-K. Cell surface display of hepatitis B virus surface antigen by using *Pseudomonas syringae* ice nucleation protein, 292
Kimoto, H., Kurisaki, J., Tsuji, N.M., Ohmomo, S. & Okamoto, T. Lactococci as probiotic strains: adhesion to human enterocyte-like Caco-2 cells and tolerance to low pH and bile, 313
Klaenhammer, T.R. *see* McCormick, J.K.
Klieve, A.V., Heck, G.L., Prance, M.A. & Shu, Q. Genetic homogeneity and phage susceptibility of ruminal strains of *Streptococcus bovis* isolated in Australia, 108
Klieve, A.V., Plumb, J.J. & Blackall, L.L. Isolation and characterization of an unusual bacterium, allied to the soil bacterium *Bacillus benzoevorans*, from feedlot manure pads in Australia, 71
Kolari, M., Mannonen, S., Takala, T., Saris, P., Souvaniemi, O. & Salkinoja-Salonen, M.S. The effect of filters on aseptic pipetting lifetime of mechanical and electronic pipettors and carryover during pipetting, 123
Kollöffel, B., Meile, L. & Teuber, M. Analysis of brevibacteria on the surface of Gruyère cheese detected by *in situ* hybridization and by colony hybridization, 317
Korkeala, H. *see* Fredriksson-Ahomaa, M.
Kreuzer, M. *see* Dohme, F.
Kristofiková, L. *see* Rosenberg, M.
Kurisaki, J. *see* Kimoto, H.

Lakshmi, B.S., Kangueane, P., Abraham, B. & Pennathur, G. Effect of vegetable oils in the secretion of lipase from *Candida rugosa* (DSM 2031), 66
Latgé, J.-P. *see* Girardin, H.
Law, S.E. *see* Beuchat, L.R.
Lee, H.-S. *see* Her, S.
Lemus, M. *see* González, I.
Leu, J.-Y., McGovern-Traa, C.P., Porter, A.J.R. & Hamilton, W.A. The same species of sulphate-reducing *Desulfomicrobium* occur in different oil field environments in the North Sea, 246
Leuschner, R.G.K. & Lillford, P.J. Effects of temperature and heat activation on germination of individual spores of *Bacillus subtilis*, 228
Lewis, M.A.O. *see* Stubbs, S.
Lillford, P.J. *see* Leuschner, R.G.K.
Lisle, J.T., Pyle, B.H. & McFeters, G.A. The use of multiple indices of physiological activity to access viability in chlorine disinfected *Escherichia coli* O157:H7, 42
Liu, J.-Z., Yang, H.-Y., Weng, L.-P & Ji, L.-N. Synthesis of glucose oxidase and catalase by *Aspergillus niger* in resting cell culture system, 337
Lobo, L.A. *see* Avelar, K.E.S.
López, R. *see* Guitiérrez, A.R.
López-Meza, J.E. *see* Benintende, G.B.
Lucena, F. *see* Muniesa, M.

Machmüller, A. *see* Dohme, F.
Mackey, B.M. *see* Sheridan, G.E.C.

Mahmoud, A.-L.E. Inhibition of growth and aflatoxin biosynthesis of *Aspergillus flavus* by extracts of some Egyptian plants, 334
Mamo, G. & Gessesse, A. Effect on cultivation conditions on growth and α-amylase production by a thermophilic *Bacillus* sp., 61
Mannonen, S. *see* Kolari, M.
Marounek, M. & Dušková, D. Metabolism of pectin in rumen bacteria *Butyrivibrio fibrisolvens* and *Prevotella ruminicola*, 429
Martínková, R. *see* Rychlík, I.
Mascia, V. *see* Cosentino, S.
Matsuda, M. *see* Kaneko, A.
Mavinkurve, S. *see* Royan, S.
Mayo, M.A. *see* Devi, K.T.
McCormick, J.K., Klaenhammer, T.R. & Stiles, M.E. Colicin V can be produced by lactic acid bacteria, 37
McFeters, G.A. *see* Lisle, J.T.
McGovern-Traa, C.P. *see* Leu, J.-Y.
Meier, H. *see* Moreno, Y.
Meile, L. *see* Kollöffel, B.
Meyrand, A., Atrache, V., Bavai, C., Montet, M.P. & Vernozy-Rozand, C. An automated method for the detection of staphylococcal heat stable deoxyribonuclease in dairy products, 216
Midgley, J., Fegan, N. & Desmarchelier, P. Dynamics of Shiga toxin-producing *Escherichia coli* (STEC) in feedlot cattle, 85
Miková, H. *see* Rosenberg, M.
Miligkos, V. *see* Tiligada, E.
Miyajima, M. *see* Kaneko, A.
Montejo-Sierra, I.L. *see* Ayra-Pardo, C.
Montet, M.P. *see* Meyrand, A.
Moore, J.E. *see* Kaneko, A.
Moreno, Y., Arias, C.R., Meier, H., Garay, E. & Aznar, R. *In situ* analysis of the bacterial communities associated to farmed eel by whole-cell hybridization, 160
Mor-Mur, M. *see* Yuste, J.
Muniesa, M., Jofre, J. & Lucena, F. Occurrence and numbers of bacteriophages and bacterial indicators in faeces of yellow-legged seagull (*Larus cachinnans*), 421
Murphy, P.G. *see* Kaneko, A.

Nandakumar, M.P., Thakur, M.S., Raghavarao, K.S.M.S. & Ghildyal, N.P. Studies on catabolite repression in solid state fermentation for biosynthesis of fungal amylases, 380
Nasreldin, E. *see* Son, R.
Niebla, A. *see* González, I.
Nimita, F. *see* Son, R.
Nishibuchi, M. *see* Son, R.

Oh, D.-H. *see* Her, S.
Ohmomo, S. *see* Kimoto, H.
Okamoto, T. *see* Kimoto, H.
Old, D.C., Chisholm, S.A. & Crichton, P.B. Molecular fingerprinting of *Salmonella* serotype Glostrup, 156
Otero, I. *see* González, I.
Owens, J.D. *see* Sparringa, R.A.

Palmas, F. *see* Cosentino, S.
Papamichael, K. *see* Tiligada, E.
Paris, S. *see* Girardin, H.
Parulekar, C. *see* Royan, S.
Pennathur, G. *see* Lakshmi, B.S.
Pérez, M.E. *see* González, I.
Pfister, P. *see* Dohme, F.
Phillips, C.A. The effect of citric acid, lactic acid, sodium citrate and sodium lactate, alone and in combination with nisin, on the growth of *Arcobacter butzleri*, 424
Pierotti, R. *see* Pinto, B.
Pinto, B., Pierotti, R., Canale, G. & Reali, D. Characterization of 'faecal streptococci' as indicators of faecal pollution and distribution in the environment, 258
Pinto, L.J.F. *see* Avelar, K.E.S.
Pisano, B. *see* Cosentino, S.
Pla, R. *see* Yuste, J.
Plumb, J.J. *see* Klieve, A.V.
Pol, I.E. & Smid, E.J. Combined action of nisin and carvacrol on *Bacillus cereus* and *Listeria monocytogenes*, 166
Porter, A.J. *see* Cupit, P.M.
Porter, A.J.R. *see* Leu, J.-Y.
Prance, M.A. *see* Klieve, A.V.
Prescott, A.M. & Fricker, C.R. *In situ* reverse transcription for the specific detection of bacteria and protozoa, 396
Pucino, A. *see* Villari, P.
Pyle, B.H. *see* Lisle, J.T.

Raghavarao, K.S.M.S. *see* Nandakumar, M.P.
Rault, J. *see* Girardin, H.
Reali, D. *see* Pinto, B.
Reddy, D.V.R. *see* Devi, K.T.
Reddy, G. *see* Devi, K.T.
Reddy, K.L.N. *see* Devi, K.T.
Reddy, S.V. *see* Devi, K.T.
Reeves, C.L. *see* Wainwright, M.
Restaino, L., Frampton, E.W., Turner, K.M. & Allison, D.R.K. A chromogenic plating medium for isolating *Escherichia coli* O157:H7 from beef, 26

Rivoal, K. *see* Denis, M.
Rivoal, K., Denis, M., Salvat, G., Colin, P. & Ermel, G. Molecular characterization of the diversity of *Campylobacter* spp. isolates collected from a poultry slaughterhouse: analysis of cross-contamination, 370
Roberts, T.A. *see* Davies, R.
Rodrigues, D.C.G.A., Da Silva, S.S. & Felipe, M.G.A. Fed-batch culture of *Candida guilliermondii* FTI 20037 for xylitol prc duction from sugar cane bagasse hydrolysate, 359
Rohilla, A. *see* Verma, I.
Rose, N. *see* Soumet, C.
Rose, V. *see* Soumet, C.
Rosenberg, M., Miková, H. & Kristofiková, L. Formation of L-malic acid by yeasts of the genus *Dipodascus*, 221
Rowbury, R.J. & Goodson, M. An extracellular stress-sensing protein is activated by heat and u.v. irradiation as well as by mild acidity, the activation producing an acid tolerance-inducing protein, 10
Royan, S., Parulekar, C. & Mavinkurve, S. Exopolysaccharides of *Pseudomonas mendocina* P_2d, 342
Rusul, G. *see* Son, R.
Rychlík, I., van Kesteren, L., Cardová, L., Švestková, A., Martínková, R. & Šišák, F. Rapid detection of *Salmonella* in field samples by nested polymerase chain reaction, 269

Salkinoja-Salonen, M.S. *see* Kolari, M.
Salvat, G. *see* Denis, M.
Salvat, G. *see* Rivoal, K.
Salvat, G. *see* Soumet, C.
Samuel, L. *see* Son, R.
Santagata, N. *see* Villari, P.
Santamaría, P. *see* Gutiérrez, A.R.
Saris, P. *see* Kolari, M.
Satta, M. *see* Cosentino, S.
Scheu, P., Gasch, A. & Berghof, K. Rapid detection of *Listeria monocytogenes* by PCR-ELISA, 416
Schiavano, G.F. *see* Brandi, G.
Selinger, L.B. *see* Yanke, L.J.
Sena, M.J. *see* Cardoso, H.F.T.
Sheridan, G.E.C., Szabo, E.A. & Mackey, B.M. Effect of post-treatment holding conditions on detection of *tufA* mRNA in ethanol-treated *Escherichia coli*: implications for RT-PCR-based indirect viability tests, 375
Shu, Q. *see* Klieve, A.V.
Sidhu, J., Gibbs, R.A., Ho, G.E. & Unkovich, I. Selection of *Salmonella* Typhimurium as an indicator for pathogen regrowth potential in composted biosolids, 303
Silva, N. *see* Cardoso, H.F.T.
Siqueira-Junior, J.P. *see* Freitas, F.I.S.
Sisák, F. *see* Rychlík, I.
Sisti, M. *see* Brandi, G.
Smid, E.J. *see* Pol, I.E.
Smith, M.J. *see* Kerr, A.
Son, R., Nimita, F., Rusul, G., Nasreldin, E., Samuel, L. & Nishibuchi, M. Isolation and molecular characterization of vancomycin-resistant *Enterococcus faecium* in Malaysia, 118
Soumet, C, Ermel, G., Rose, V., Rose, N., Drouin, P., Salvat, G. & Colin, P. Identification by a multiplex PCR-based assay of *Salmonella* Typhimurium and *Salmonella* Enteritidis strains from environmental swabs of poultry houses, 1
Soumet, C. *see* Denis, M.
Souvaniemi, O. *see* Kolari, M.
Sparringa, R.A. & Owens, J.D. Inhibition of the tempe mould, *Rhizopus oligosporus*, by ammonia, 93
Stampi, S., Zanetti, F., Bergamaschi, A. & De Luca, G. *Comamonas acidovorans* contamination of dental unit waters, 52
Stephenson, K., Bron, S. & Harwood, C.R. Cellular lysis in *Bacillus subtilis*; the effect of multiple extracellular protease deficiencies, 141
Stiles, M.E. *see* McCormick, J.K.
Stubbs, S., Hobot, J.A., Waddington, R.J., Embery, G. & Lewis, M.A.O. Effect of environmental haemin upon the physiology and biochemistry of *Prevotella intermedia* R78, 31
Svestková, A. *see* Rychlík, I.
Szabo, E.A. *see* Sheridan, G.E.C.

Takala, T. *see* Kolari, M.
Tell, G. *see* Civilini, M.
Teuber, M. *see* Kollöffel, B.
Thakur, M.S. *see* Nandakumar, M.P.
Thakur, N.B. *see* Yellore, V.S.
Tiligada, E., Miligkos, V., Ypsilantis, E., Papamichael, K. & Delitheos, A. Molybdate induces thermotolerance in yeast, 77
Timmins, M.J. *see* Ward, L.J.H.
Torre, I. *see* Villari, P.
Tsuji, N.M. *see* Kimoto, H.
Tuberoso, C.G. *see* Cosentino, S.
Turner, K.M. *see* Restaino, L.

Unkovich, I. *see* Sidhu, J.
Uzal, F.A. *see* Warren, A.L.

Vallin, C. *see* González, I.
van Kesteren, L. *see* Rychlík, I.
Vázquez-Padrón, R.I. *see* Ayra-Pardo, C.

Verma, I., Rohilla, A. & Khuller, G.K. Alterations in macromolecular composition and cell wall integrity by ciprofloxacin in *Mycobacterium smegmatis*, 113
Vernozy-Rozand, C. *see* Meyrand, A.
Villari, P., Pucino, A., Santagata, N. & Torre, I. A comparison of different culture media for the membrane filter quantification of *Aeromonas* in water, 253

Waddington, R.J. *see* Stubbs, S.
Wainwright, M., Canham, L.T., Al-Wajeeh, K. & Reeves, C.L. Morphological changes (including filamentation) in *Escherichia coli* grown under starvation conditions on silicon wafers and other surfaces, 224
Waites, W.M. *see* Warriner, K.
Wallis, F.M. *see* Costley, S.C.
Ward, L.J.H. & Timmins, M.J. Differentiation of *Lactobacillus casei, Lactobacillus paracasei* and *Lactobacillus rhamnosus* by polymerase chain reaction, 90
Warren, A.L., Uzal, F.A., Blackall, L.L. & Kelly, W.R. PCR detection of *Clostridium perfringens* type D in formalin-fixed, paraffin-embedded tissues of goats and sheep, 15
Warriner, K. & Waites, W.M. Enhanced sporulation in *Bacillus subtilis* grown on medium containing glucose:ribose, 97
Wasserfallen, A. *see* Dohme, F.
Weng, L.-P *see* Liu, J.-Z.
Whyte, J.A. *see* Cupit, P.M.

Yang, H.-Y. *see* Liu, J.-Z.
Yanke, L.J., Selinger, L.B. & Cheng, K.-J. Phytase activity of *Selenomonas ruminantium*: a preliminary characterization, 20
Yellore, V.S., Thakur, N.B. & Desai, A.J. Enhancement of growth and poly 3-hydroxybutyrate production from *Methylobacterium* sp. ZP24 by formate and other organic acids, 171
Yoo, S.-K. *see* Kim, E.-J.
Yoon, S.-S. *see* Her, S.
Ypsilantis, E. *see* Tiligada, E.
Yuste, J., Mor-Mur, M., Capellas, M. & Pla, R. Pressure- vs. heat-induced bacterial stress in cooked poultry sausages: a preliminary study, 233

Zanetti, F. *see* Stampi, S.

Index of Subjects

Alterations by ciprofloxacin in *M. smegmatis* (Verma, Rohilla & Khuller) 113
Aminoglycosides resistance in *Staph. aureus* (Freitas, Guedes-Stehling & Siqueira-Junior) 197
Ammonia inhibition of *Rhizopus* (Sparringa & Owens) 93
An extracellular stress sensor (Rowbury & Goodson) 10
Antibodies to *E. coli* O157 LPS (Chart) 434
Aqueous plant extracts and aflatoxin biosynthesis (Mahmoud) 334
Australia ruminal *Strep. bovis* (Klieve, Heck, Prance & Shu) 108

Bacillus benzoevorans-like bacterium (Klieve, Plumb & Blackall) 71
Bacillus subtilis cell lysis (Stephenson, Bron & Harwood) 141
Bacterial *in situ* hybridization (Moreno, Arias, Meier, Garay & Aznar) 160
Bacterial stress in pressurized sausages (Yuste, Mor-Mur, Capellas & Pla) 233
Bacteriophages faeces of seagulls (Muniesa, Jofre & Lucena) (*Larus cachinnans*) 421
Bacteroides fragilis bacteriocin (Avelar, Pinto, Antunes, Lobo, Bastos, Domingues & De Souza Ferreira) 264
Biohydrogenation by colonic bacteria (Howard & Henderson) 193

Campylobacter at a poultry slaughterhouse (Rivoal, Denis, Salvat, Colin & Ermel) 370
Catabolite repression in SSF (Nandakumar, Thakur, Raghavarao & Ghildyal) 380
Cell surface display of HBSAG on *E. coli* (Kim & Yoo) 292
Chlorine injury *Escherichia coli* O157:H7 (Lisle, Pyle & McFeters) 42
Cloning and sequencing of β-1,4-endoglucanase gene (*celA*) (Her, Lee, Choi, Choi, Choi, Yoon & Oh) 389
Colicin V produced by lactic acid bacteria (McCormick, Klaenhammer & Stiles) 37
Combined action of nisin and carvacrol (Pol & Smid) 166
Composition and activity of *Thymus* oils (Cosentino, Tuberoso, Pisano, Satta, Mascia, Arzedi & Palmas) 130
Controlling *Escherichia coli* O157:H7 (Kang & Fung) 206

Dental units contamination (Stampi, Zanetti, Bergamaschi & De Luca) 52
Detection of *Aeromonas* in water (Villari, Pucino, Santagata & Torre) 253
Detection of thermonuclease (Meyrand, Atrache, Bavai, Montet & Vernozy-Rozand) 216
Differentiation of *Lactobacillus* by polymerase chain reaction (Ward & Timmins) 90
Diversity of streptomycetes among terrestrial ecosystems (Katsifas, Giannoutsou & Karagouni) 48

E. coli O157:H7; chromogenic agar (Restaino, Frampton, Turner & Allison) 26
E. coli ppGpp *rpo*S antimicrobial resistance (Greenway & England) 323
Ecology of spontaneous fermentation (Gutiérrez, Santamaría, Epifanio, Garijo & López) 411
Effect of disk rotational speed on biofilms (Costley & Wallis) 401
Effect of pH on jensiniin G production (Ekinci & Barefoot) 176
Enhanced biodegradation of phenanthrene (Cuny, Faucet, Acquaviva, Bertrand & Gilewicz) 242
Enhanced sporulation in *Bacillus subtilis* (Warriner & Waites) 97
Epilithic enzyme activity (Brown & Goulder) 385
Exopolysaccharides of *Pseudomonas* strain P_2d (Royan, Parulekar & Mavinkurve) 342
Expression of antibody fragments (Cupit, Whyte, Porter, Browne, Holmes, Harris & Cunningham) 273

Faecal streptococci as indicators of faecal pollution (Pinto, Pierotti, Canale & Reali) 258
Fed-batch xylitol production (Rodrigues, Da Silva & Felipe) 359
Fingerprinting of *Salmonella* Glostrup (Old, Chisholm & Crichton) 156
Fungal physicochemical properties (Girardin, Paris, Rault, Bellon-Fontaine & Latgé) 364
Fungi in potable waters (Arvanitidou, Kanellou, Constantinides & Katsouyannopoulos) 81

Gene encoding universal stress protein from *E. coli* O157:H7 (Chen & Griffiths) 103
Germination of individual *B. subtilis* spores (Leuschner & Lillford) 228
Growth and amylase production by *Bacillus* sp. (Mamo & Gessesse) 61
Growth enhancement by formate (Yellore, Thakur & Desai) 171
Growth of *Arcobacter butzleri* (Phillips) 424
GUSA gene expression in *P. pastoris* (Ayra-Pardo, Montejo-Sierra, Vázquez-Padrón & García-Martínez) 278

Heat resistance of *Lactobacillus* spp. (Jordan & Cogan) 136
Heat shock response in yeast (Tiligada, Miligkos, Ypsilantis, Papamichael & Delitheos) 77
Hygiene in the kitchen (Cogan, Bloomfield & Humphrey) 354
Identification of *Campylobacter* by m-PCR (Denis, Soumet, Rivoal, Ermel, Blivet, Salvat & Colin) 406

In situ of Gruyère cheese (Kollöffel, Meile & Teuber) 317
In situ reverse transcription (Prescott & Fricker) 396

Inactivation of aflatoxigenic Aspergilli (Beuchat, Chmielewski, Keswani, Law & Frank) 202
Inhibition of *A. ochraceus* NRRL 3174 (Basílico & Basílico) 238
Inhibition of aflatoxin biosynthesis (Hua, Grosjean & Baker) 289

Lactococci as probiotics (Kimoto, Kurisaki, Tsuji, Ohmomo & Okamoto) 313
Lipase secretion from *Candida rugosa* (Lakshmi, Kangueane, Abraham & Pennathur) 66

Metabolism of rumen pectinolytic bacteria (Marounek & Dusková) 429
MLS producing Actinomyces (González, Niebla, Lemus, González, Otero, Iznaga, Pérez & Vallin) 147
Monoclonal antibodies for aflatoxin B1 (Devi, Mayo, Reddy, Delfosse, Reddy, Reddy & Reddy) 284

Novel isolates of *B. thuringiensis* (Benintende, López-Meza, Cozzi & Ibarra) 151

Occurrence of sulphate-reducing *Desulfomicrobium* (Leu, McGovern-Traa, Porter & Hamilton) 246

P. aeruginosa and *P. fluorescens* ppGpp biocide nutrient limitation (Greenway & England) 298
Pathogen regrowth potential of compost (Sidhu, Gibbs, Ho & Unkovich) 303
PCR detection of *Clostridium perfringens* (Warren, Uzal, Blackall & Kelly) 15
PCR-ELISA (Scheu, Gasch & Berghof) 416
PFGE-typing of *Y. enterocolitica* bioserotype 4/O:3 (Fredriksson-Ahomaa, Autio & Korkeala) 308
Phytase activity of *Selenomonas* (Yanke, Selinger & Cheng) 20
Pig enterococci and antimicrobials (Davies & Roberts) 327
Pipettor contamination and carryover (Kolari, Mannonen, Takala, Saris, Souvaniemi & Salkinoja-Salonen) 123
Pleomorphism in starved *E. coli* (Wainwright, Canham, Al-Wajeeh & Reeves) 224
Prevotella intermedia and haemin (Stubbs, Hobot, Waddington, Embery & Lewis) R78 31
Production of enterotoxins and TSST-1 (Cardoso, Silva, Sena & Carmo) 347
Production of L-malic acid (Rosenberg, Miková & Kristofíková) 221
Protozoa, coconut oil and methane (Dohme, Machmüller, Estermann, Pfister, Wasserfallen & Kreuzer) 187
Pseudomonas aeruginosa 2NR degrading naphthalene (Civilini, De Bertoldi & Tell) 181

RT-PCR as a viability indicator (Sheridan, Szabo & Mackey) 375

Salmonella PCR detection in faeces (Rychlík, van Kesteren, Cardová, Svestková, Martínková & Sisák) 269
Salmonella strains from poultry houses (Soumet, Ermel, Rose, Rose, Drouin, Salvat & Colin) 1
Shiga toxin-producing *E. coli* in feedlot cattle (Midgley, Fegan & Desmarchelier) 85
Stress adaptation of *Listeria monocytogenes* (Bolton & Frank) 350
Surface potential and fouling (Kerr, Hodgkiess, Cowling, Smith & Beveridge) 56
Survival of *Aeromonas* in water (Brandi, Sisti, Giardini, Schiavano & Albano) 211
Synthesis of glucose oxidase and catalase (Liu, Yang, Weng & Ji) 337

UPTC from seagulls (Kaneko, Matsuda, Miyajima, Moore & Murphy) (*Larus* sp) 7

Vancomycin-resistant *Enterococcus faecium* in Malaysia (Son, Nimita, Rusul, Nasreldin, Samuel & Nishibuchi) 118